

ESI to Universal Lighting Technologies Cross Reference

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7811649C	ES-1-2D-16/10-UNV-C	C213UNVBE		16/10 watt 2D lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811649D	ES-1-2D-16/10-UNV-D	C213UNVSE		16/10 watt 2D lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811648C	ES-1-2D-21-UNV-C	C218UNVBE		21 watt 2D lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811648D	ES-1-2D-21-UNV-D	C218UNVSE		22 watt 2D lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811647C	ES-1-2D-28-UNV-C	C2642UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811647D	ES-1-2D-28-UNV-D	C2642UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811646C	ES-1-2D-38-UNV-C	None	C2642UNVBE	ESI 1.0 Ballast Factor, ULT's is .80	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811646D	ES-1-2D-38-UNV-D	None	C2642UNVSE	ESI 1.0 Ballast Factor, ULT's is .80	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811652C	ES-1-CFF-18-UNV-C	None	None	18W F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811652D	ES-1-CFF-18-UNV-D	None	None	18W F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811651C	ES-1-CFF-24-UNV-C	None	None	24W F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.98 x 4.94 (0.90)
7811651D	ES-1-CFF-24-UNV-D	None	None	24W F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.98 x 4.94 (0.90)
7811650C	ES-1-CFF-36-UNV-C	C2642UNVBE		36 watt F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811650D	ES-1-CFF-36-UNV-D	C2642UNVSE		36 watt F-Lamp	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811057	ES-1-CFH-32/26-120-E	ES1057E			1.00 x 1.69 x 5.50 (0.33)	
7811082	ES-1-CFH-32/26-277-E	None	C2642UNVSE	ULT ballast is shorter, wider, and universal voltage	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.31 x 4.94 (0.57)
7812004C	ES-1-CFH-32/26-UNV-C	C2642UNVBE		ESI's runs 1 lamp only, ULT also operates 2 26 watt lamps	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812004D	ES-1-CFH-32/26-UNV-D	C2642UNVSE		ESI's runs 1 lamp only, ULT also operates 2 26 watt lamps	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7815004GT	ES-1-CFH-32/26-UNV-GT-DIM-D	ES5000GT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815004HT	ES-1-CFH-32/26-UNV-HT-DIM-D	ES5000HT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7811809G	ES-1-CFH-32-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811809H	ES-1-CFH-32-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811350	ES-1-CFH-32-347-C	C2642/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811748	ES-1-CFH-32-347-D	C2642/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812005C	ES-1-CFH-42/32/26/2x26-UNV-CM	C2642UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812005D	ES-1-CFH-42/32/26/2x26-UNV-D	C2642UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812000C	ES-1-CFH-42/32/26-UNV-C	C2642UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812000D	ES-1-CFH-42/32/26-UNV-D	C2642UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7815010GT	ES-1-CFH-42/32/26-UNV-GT-DIM10	ES5010GT000C	None	0-10V Dimming	1.18 x 3.00 x 4.95 (0.60)	
7815000GT	ES-1-CFH-42/32/26-UNV-GT-DIM-D	ES5000GT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815010HT	ES-1-CFH-42/32/26-UNV-HT-DIM10	ES5010HT000C	None	PS, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95	
7815000HT	ES-1-CFH-42/32/26-UNV-HT-DIM-D	ES5000HT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815020HT	ES-1-CFH-42/32/26-UNV-HT-DIM-PWM	None	None	PWM Dimming		
7811364	ES-1-CFH-42-120-E	None	C2642UNVSE	ULT ballast is shorter, wider, and universal voltage	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.98 x 4.94 (0.90)
7811810G	ES-1-CFH-42-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811810H	ES-1-CFH-42-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811238	ES-1-CFH-42-277-E	None	C2642UNVSE	ULT ballast is shorter, wider, and universal voltage	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.98 x 4.94 (0.90)
7811386	ES-1-CFH-42-347-C	C2642/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811602	ES-1-CFH-42-347-D	C2642/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811104	ES-1-CFQ-13-120-E	None	C213UNVSE	ULT ballast is shorter, wider, and operates 1 or 2 lamps	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.31 x 4.94 (0.57)
7811105	ES-1-CFQ-13-277-E	None	C213UNVSE	ULT ballast is shorter, wider, and operates 1 or 2 lamps	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.31 x 4.94 (0.57)
7811042	ES-1-CFQ-18-120-E	None	C218UNVSE	ULT ballast is shorter, wider, and operates 1 or 2 lamps	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.31 x 4.94 (0.57)
7811043	ES-1-CFQ-18-277-E	None	C218UNVSE	ULT ballast is shorter, wider, and operates 1 or 2 lamps	1.00 x 1.69 x 5.50 (0.33)	1.00 x 2.31 x 4.94 (0.57)

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7811398	ES-1-CFQ-18-347-C	C218/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811756	ES-1-CFQ-18-347-D	C218/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
78118086	ES-1-CFQ-26-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811808H	ES-1-CFQ-26-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811385	ES-1-CFQ-26-347-C	C2642/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811592	ES-1-CFQ-26-347-D	C2642/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811261	ES-1-CFT-39-120-A-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 1.56 x 9.50 (0.44)	
7812504	ES-1-CFT-40-UNV-A	C240PUNVHP-B		ULT Ballast is for 2 or 1 lamp operation and has leads	1.00 x 1.56 x 9.50 (0.44)	1.00 x 1.50 x 9.50 (1.10)
	ES-1-CFT-40-UNV-BM-DIM-10	ES5006BM000C				
	ES-2-CFT-40-UNV-BM-DIM-10	ES5007BM000C				
7812503	ES-1-CFT-50/39-UNV-A	None	B239PUNV-D	For operating FT36W/2G11 twin lamp only	1.00 x 1.56 x 9.50 (0.44)	1.00 x 1.18 x 16.28 (1.25)
7812502	ES-1-CFT-55-UNV-A	None	B254PUNV-D	ULT product has different dimensions and ballast factor of .90	1.00 x 1.56 x 9.50 (0.44)	1.00 x 1.18 x 16.88 (1.25)
7812518	ES-1-CFT-80-UNV-K	None	None	80 watt Biax	1.00 x 1.24 x 15.77 (0.73)	
7815849	ES-1-T5-14-UNV-K-DIM-10	ES5849K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815848	ES-1-T5-14-UNV-K-DIM-D	ES5848K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815839	ES-1-T5-21-UNV-K-DIM-10	ES5839K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815838	ES-1-T5-21-UNV-K-DIM-D	ES5838K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814535	ES-1-T5-24-UNV-F	B224PUNV-C			1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 14.25 (1.00)
7815846	ES-1-T5-28-UNV-K-DIM-10	ES5846K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815842	ES-1-T5-28-UNV-K-DIM-D	ES5842K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814502	ES-1-T5-35/28/21/14-UNI-V	None	B228PUNV-C	ULT Ballast operates 1 or 2 lamps and has different dimensions	0.90 x 2.13 x 10.30 (0.51)	1.00 x 1.18 x 14.25 (1.00)
7814528	ES-1-T5-35/28/21/14-UNI-X	None	B228PUNV-C	ULT Ballast operates 1 or 2 lamps and is taller	0.73 x 1.24 x 14.13 (0.46)	1.00 x 1.18 x 14.25 (1.00)
7814500	ES-1-T5-35/28/21/14-UNV-F	B228PUNV-C		ULT Ballast operates 1 or 2 lamps	1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 14.25 (1.00)
7815853	ES-1-T5-35-UNV-K-DIM-10	ES5853K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815852	ES-1-T5-35-UNV-K-DIM-D	ES5852K000C	None	T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814522	ES-1-T5-39-UNV-F	None	B239PUNV-D	ESI's BF is 1.00 / ULT's BF is 1.10 & different dimensions	1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 16.28 (1.25)
7814521	ES-1-T5-54-UNV-F	None	B254PUNV-D	ESI's BF is 1.00 / ULT's BF is 1.10 & different dimensions	1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 16.28 (1.25)
7815844	ES-1-T5-54-UNV-K-DIM-10	ES5844K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815840	ES-1-T5-54-UNV-K-DIM-D	ES5840K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814515	ES-1-T5-80-UNV-K	None	None	80 watt T5	1.00 x 1.24 x 16.65 (0.73)	
7814520C	ES-1-T5C-40/22-UNV-C	C2642UNVBE		T5 Circular Lamps	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7814520D	ES-1-T5C-40/22-UNV-D	C2642UNVSE		T5 Circular Lamps	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7814540	ES-1-T5C-55-UNV-A	None	None	T5 Circular Lamps	1.00 x 1.56 x 9.50 (0.44)	
7815833	ES-1-T8-17-UNV-B-DIM-10	ES5833B000C		PRS, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815831	ES-1-T8-17-UNV-B-DIM-D	ES5831B000C		Digital Dimming, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815818	ES-1-T8-17-UNV-K-DIM-10	ES5818K000C		PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815829	ES-1-T8-17-UNV-K-DIM-D	ES5829K000C		Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7811293	ES-1-T8-25/17-120-A-DIM-L	None	None			
7811294	ES-1-T8-25/17-120-A-S-DIM-E	None	None	Linear T8 DIM-E reverse phase control	1.00 x 1.56 x 9.50 (0.44)	
7816021	ES-1-T8-32/25/17-120-AMT-IS	None	B132I120RH-A	Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816021-10	ES-1-T8-32/25/17-120-AMT-IS10	None	B132IUNVHP-B	ULT's is UNV voltage	1.20 x 1.50 x 9.50 (0.54)	1.00 x 1.50 x 9.50 (1.10)
7816021-10	ES-1-T8-32/25/17-120-AMT-IS10-L	None	None	This is a one lamp .78BF	1.20 x 1.50 x 9.50 (0.54)	
7816071	ES-1-T8-32/25/17-277-AMT-IS	None	B132I277RH-A	Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816071-10	ES-1-T8-32/25/17-277-AMT-IS10	None	B132IUNVHP-B	ULT's is UNV voltage	1.20 x 1.50 x 9.50 (0.54)	1.00 x 1.50 x 9.50 (1.10)
7816071-10	ES-1-T8-32/25/17-277-AMT-IS10-L	None	None	One lamp .78 ballast factor	1.20 x 1.50 x 9.50 (0.54)	
7816051-10	ES-1-T8-32/25/17-UNV-AM-IS10	B132IUNVHP-B			1.00 x 1.50 x 9.50 (0.53)	1.00 x 1.50 x 9.50 (1.10)
7816051-10	ES-1-T8-32/25/17-UNV-AM-IS10-L	None	None	One lamp .78 ballast factor	1.00 x 1.50 x 9.50 (0.53)	

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7815823	ES-1-T8-32/25/UNV-B-DIM-PWM	None	None	PWM Dimming		
7815821	ES-1-T8-32/25-UNV-B-DIM-10	ES5821B000C		PRS, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815827	ES-1-T8-32/25-UNV-B-DIM-D	ES5827B000C		Digital Dimming, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815835	ES-1-T8-32/25-UNV-K-DIM-10	ES5835K000C		PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815825	ES-1-T8-32/25-UNV-K-DIM-D	ES5825K000C		Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7811534	ES-1-T8-32-120-A-S-1.20	None	None	One lamp 1.20 ballast factor	1.00 x 1.56 x 9.50 (0.44)	
7811279	ES-1-T8-32-120-A-S-DIM-E	None	None	Linear T8 DIM-E reverse phase control	1.00 x 1.56 x 9.50 (0.44)	
7811533	ES-1-T8-32-277-A-S-1.20	None	None	One lamp 1.20 ballast factor	1.00 x 1.56 x 9.50 (0.44)	
7811510	ES-1-T8-32-347-A-S	ES1510A000C		347V, linear T8, Program start	1.00 x 1.56 x 9.50 (0.44)	
7811679	ES-1-T8-40-347-A-S	ES1679A000C		347V, linear T8, Program start	1.00 x 1.56 x 9.50 (0.44)	
7811686	ES-1-T8-40-UNV-A-IS		B132IUNVHP-B	ESI product is UL type CC.	1.00 x 1.56 x 9.50 (0.44)	1.55 x 2.40 x 9.50 (2.30)
7811684	ES-1-T8-59-UNV-A-IS	None	B259IUNVHP-A	ESI's is 1 lamp operation at .87 B.F. ULT is a 2 lamp that will operate 1 lamp at 1.08 B.F. ULT model has leads	1.00 x 1.56 x 9.50 (0.44)	1.55 x 2.40 x 9.50 (2.30)
7811680	ES-1-T8-70/58-120-F-LG	None	None	F70T8 & F58T8, PRS, extended starting temp (-30° C)	1.00 x 1.24 x 14.13 (0.45)	
7812001C	ES-2/1-CFQ-13/10-UNV-C	C213UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812001CM	ES-2/1-CFQ-13/10-UNV-CM	C213UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812001CMP	ES-2/1-CFQ-13/10-UNV-CMP	C213UNVBES			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812001D	ES-2/1-CFQ-13/10-UNV-D	C213UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
78150116T/HT	ES-2/1-CFQ-13-UNV-GT/HT-DIM-10	ES50116T/HT	None	PS, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
78150016T	ES-2/1-CFQ-13-UNV-GT-DIM-D	ES50016T000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815001HT	ES-2/1-CFQ-13-UNV-HT-DIM-D	ES5001HT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815021HT	ES-2/1-CFQ-13-UNV-HT-DIM-PWM	None	None	PWM Dimming		
7812002C	ES-2/1-CFQ-18-UNV-C	C218UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812002CM	ES-2/1-CFQ-18-UNV-CM	C218UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812002CMP	ES-2/1-CFQ-18-UNV-CMP	C218UNVBES			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812002D	ES-2/1-CFQ-18-UNV-D	C218UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
78150126T	ES-2/1-CFQ-18-UNV-GT-DIM-10	ES50126T000C		0-10V Dimming		
78150026T	ES-2/1-CFQ-18-UNV-GT-DIM-D	ES50026T000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815012HT	ES-2/1-CFQ-18-UNV-HT-DIM-10	ES5012HT000C		0-10V Dimming		
7815002HT	ES-2/1-CFQ-18-UNV-HT-DIM-D	ES5002HT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815022HT	ES-2/1-CFQ-18-UNV-HT-DIM-PWM	None	None	PWM Dimming		
7812003C	ES-2/1-CFQ-26-UNV-C	C2642UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812003D	ES-2/1-CFQ-26-UNV-D	C2642UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
78150136T	ES-2/1-CFQ-26-UNV-GT-DIM-10	ES50136T000C		0-10V Dimming		
78150036T	ES-2/1-CFQ-26-UNV-GT-DIM-D	ES50036T000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7815013HT	ES-2/1-CFQ-26-UNV-HT-DIM-10	ES5013HT000C		0-10V Dimming		
7815003HT	ES-2/1-CFQ-26-UNV-HT-DIM-D	ES5003HT000C		Digital Dimming, CFL lamps, 3% dimming level	1.18 x 3.00 x 4.95 (0.60)	
7811643C	ES-2/1-CFT-13-UNV-C	None	CT213UNVSE	ESI's is Bottom Exit, ULT is Side Exit	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811643D	ES-2/1-CFT-13-UNV-D	CT213UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811642C	ES-2/1-CFT-18-UNV-C-RS	None	CT218UNVSE	ESI's is Bottom Exit, ULT is Side Exit	1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811642D	ES-2/1-CFT-18-UNV-D-RS	CT218UNVSE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812505	ES-2/1-CFT-27-UNV-A	None	B224PUNV-C	For operating Ft24/2611 lamp. ULT product has different dimensions	1.00 x 1.56 x 9.50 (0.44)	1.00 x 1.18 x 14.25 (1.00)
7811644C	ES-2/1-CFT-9/7/5-UNV-C	None	None	9, 7 & 5 watt Biax lamps	1.00 x 2.38 x 4.95 (0.36)	
7811644D	ES-2/1-CFT-9/7/5-UNV-D	None	None	9, 7 & 5 watt Biax lamps	1.00 x 2.38 x 4.95 (0.36)	
7811785	ES-2/1-T2-13/11/8/6-UNI-V	ES1785V000C	None	T2 Linear Program Start	0.90 x 2.13 x 10.30 (0.51)	
7811786	ES-2/1-T2-13/11/8/6-UNI-X	ES1786X000C	None	T2 Linear Program Start	0.73 x 1.24 x 14.13 (0.46)	
7811806	ES-2/1-T5-13/8/6-UNI-V	None	None	13/8/6 watt T5 linear, preheat start	0.90 x 2.13 x 10.30 (0.51)	
7811807	ES-2/1-T5-13/8/6-UNI-X	None	None	13/8/6 watt T5 linear, preheat start	0.73 x 1.24 x 14.13 (0.46)	
7811608	ES-2/1-T8-32/25/17/15-UNV-A-IS	ES1608A000C	B232IUNVHP-B	ESI's is series lamp operation & runs an F15T8	1.00 x 1.56 x 9.50 (0.44)	1.00 x 1.50 x 9.50 (1.10)

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7814800	ES-2/1-T8-32/25/17-UNV-A	ES4800A000C	B232PUNVHP-A	ULT does not cover all lamp applications & has different wiring connections to yellow filaments	1.00 x 1.56 x 9.50 (0.44)	1.18 x 1.70 x 9.50 (1.70)
7814828	ES-2/1-T8-32/25/17-UNV-F	None	B232PUNVHP-A	ULT does not cover all lamp applications & has different wiring connections to yellow filaments & has different dimensions	1.00 x 1.24 x 14.13 (0.45)	1.18 x 1.70 x 9.50 (1.70)
7812005CM	ES-2-CFH-26/1x42/32/26-UNV-CM	C2642UNVBE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812005CMP	ES-2-CFH-26/1x42/32/26-UNV-CMP	C2642UNVBES			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7812005CP	ES-2-CFH-26/1x42/32/26-UNV-CP	C2642UNVBES			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7813009G	ES-2-CFH-32/26-UNV-G	C242UNVSE			1.00 x 3.00 x 4.95 (0.39)	1.00 x 2.98 x 4.94 (0.90)
7813009H	ES-2-CFH-32/26-UNV-H	C242UNVBE			1.00 x 3.00 x 4.95 (0.39)	1.00 x 2.98 x 4.94 (0.90)
7811354	ES-2-CFH-32-347-C	C242/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.98 x 4.94 (0.90)
7811764	ES-2-CFH-32-347-D	C242/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.98 x 4.94 (0.90)
7813008G	ES-2-CFH-42/32/26-UNV-G	C242UNVSE			1.00 x 3.00 x 4.95 (0.39)	1.00 x 2.98 x 4.94 (0.90)
7813008H	ES-2-CFH-42/32/26-UNV-H	C242UNVBE			1.00 x 3.00 x 4.95 (0.39)	1.00 x 2.98 x 4.94 (0.90)
7811548	ES-2-CFQ-13-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811549	ES-2-CFQ-13-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811351	ES-2-CFQ-13-347-C	C213/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811754	ES-2-CFQ-13-347-D	C213/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811384	ES-2-CFQ-18-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811400	ES-2-CFQ-18-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811352	ES-2-CFQ-18-347-C	C218/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811749	ES-2-CFQ-18-347-D	C218/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811290	ES-2-CFQ-26-120-G-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811313	ES-2-CFQ-26-120-H-S-DIM-E	None	None	Compact DIM-E reverse phase control	1.00 x 3.00 x 4.95 (0.39)	
7811353	ES-2-CFQ-26-347-C	C2642/347BE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7811605	ES-2-CFQ-26-347-D	C2642/347SE			1.00 x 2.38 x 4.95 (0.36)	1.00 x 2.31 x 4.94 (0.57)
7815023HT	ES-2-CFQ-26-UNV-HT-DIM-PWM	None	None	PWM Dimming		
7811424	ES-2-CFT-39-120-F-LG	None	B239PUNV-D	ULT product is for the FT39W/2611 twin lamp only & Different Dimensions	1.00 x 1.24 x 14.13 (0.45)	
7812507	ES-2-CFT-40-UNV-BMT	C240PUNVHP-B			1.20 x 2.38 x 9.50 (0.81)	1.00 x 1.50 x 9.50 (1.10)
7812506	ES-2-CFT-40-UNV-F	ES2506F000C	C240PUNVHP-B	Different dimensions, ESI is longer and narrower	1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.50 x 9.50 (1.10)
7812509	ES-2-CFT-50/39-UNV-BMT	None	B239PUNV-D	ULT product is for the FT39W/2611 twin lamp only & Different Dimensions	1.20 x 2.38 x 9.50 (0.81)	1.00 x 1.18 x 16.28 (1.25)
7811772	ES-2-CFT-55-277-K	None	B254PUNV-D	ULT product has different dimensions and has a ballast factor of .82	1.00 x 1.24 x 15.77 (0.73)	1.00 x 1.18 x 16.88 (1.25)
7812508	ES-2-CFT-55-UNV-BMT	None	B254PUNV-D	ULT product has different dimensions and has a ballast factor of .82	1.20 x 2.38 x 9.50 (0.81)	1.00 x 1.18 x 16.88 (1.25)
7815851	ES-2-T5-14-UNV-K-DIM-10	ES5851K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815850	ES-2-T5-14-UNV-K-DIM-D	ES5850K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815861	ES-2-T5-21-UNV-K-DIM-10	ES5861K000C		T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815860	ES-2-T5-21-UNV-K-DIM-D	ES5860K000C		T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814537	ES-2-T5-24-UNV-F	B224PUNV-C			1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 14.25 (1.00)
7814503	ES-2-T5-28/21/14-UNV-F	B228PUNV-C			1.00 x 1.24 x 14.13 (0.45)	1.00 x 1.18 x 14.25 (1.00)
7815847	ES-2-T5-28-UNV-K-DIM-10	ES5847K000C	None	T5 lamps, PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815843	ES-2-T5-28-UNV-K-DIM-D	ES5843K000C	None	T5 linear lamps, Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7814504	ES-2-T5-35-UNV-K	None	B228PUNV-C	ULT Ballast is shorter	1.00 x 1.24 x 16.65 (0.73)	1.00 x 1.18 x 14.25 (1.00)
7814508	ES-2-T5-39-UNV-K	B239PUNV-D			1.00 x 1.24 x 16.65 (0.73)	1.00 x 1.18 x 16.28 (1.25)
7814510	ES-2-T5-54-UNV-K	B254PUNV-D			1.00 x 1.24 x 16.65 (0.73)	1.00 x 1.18 x 16.28 (1.25)
7814536	ES-2-T5C-40+22-UNV-G	C242UNVSE			1.00 x 3.00 x 4.95 (0.39)	1.00 x 2.98 x 4.94 (0.90)
7815834	ES-2-T8-17-UNV-B-DIM-10	ES5834B000C	None	PRS, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815832	ES-2-T8-17-UNV-B-DIM-D	ES5832B000C	None	Digital Dimming, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815817	ES-2-T8-17-UNV-K-DIM-10	ES5817K000C		PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7815830	ES-2-T8-17-UNV-K-DIM-D	E55830K000C		Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7811415	ES-2-T8-25-120-A-S-DIM-E	None	None	Linear T8 DIM-E reverse phase control	1.00 x 1.56 x 9.50 (0.44)	
7816022	ES-2-T8-32/25/17-120-AMT-IS		B232I120RH-A	Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816022-10	ES-2-T8-32/25/17-120-AMT-IS10	B232IUNVHP-B		ULT's is UNV voltage	1.20 x 1.50 x 9.50 (0.54)	1.00 x 1.50 x 9.50 (1.10)
7816022-10	ES-2-T8-32/25/17-120-AMT-IS10-L	None	B232I120L-A	ESI's THD <10 / ULT's THD <20 & Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816072	ES-2-T8-32/25/17-277-AMT-IS	None	B232I277RH-A	Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816072-10	ES-2-T8-32/25/17-277-AMT-IS10	B232IUNVHP-B		ULT's is UNV voltage	1.20 x 1.50 x 9.50 (0.54)	1.00 x 1.50 x 9.50 (1.10)
7816072-10	ES-2-T8-32/25/17-277-AMT-IS10-L	None	B232I277L-A	ESI's THD <10 / ULT's THD <20 & Difference in width dimension	1.20 x 1.50 x 9.50 (0.54)	1.18 x 1.70 x 9.50 (1.70)
7816052-10	ES-2-T8-32/25/17-UNV-AM-IS10	B232IUNVHP-B			1.00 x 1.50 x 9.50 (0.53)	1.00 x 1.50 x 9.50 (1.10)
7816052-10	ES-2-T8-32/25/17-UNV-AM-IS10-L	None	B232I120L-A, B232I277L-A	ESI's is UNV voltage & THD <10 / ULT's is dedicated voltage & THD <20	1.00 x 1.50 x 9.50 (0.53)	1.18 x 1.70 x 9.50 (1.70)
7815822	ES-2-T8-32/25-UNV-B-DIM-10	E55822B000C	None	PRS, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815828	ES-2-T8-32/25-UNV-B-DIM-D	E55828B000C	None	Digital Dimming, 1% dimming level	1.00 x 2.38 x 9.50 (0.69)	
7815824	ES-2-T8-32/25-UNV-B-DIM-PWM	None	None	PWM Dimming		
7815836	ES-2-T8-32/25-UNV-K-DIM-10	E55836K000C	None	PRS, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7815826	ES-2-T8-32/25-UNV-K-DIM-D	E55826K000C	None	Digital Dimming, 1% dimming level	1.00 x 1.24 x 16.65 (0.73)	
7811532	ES-2-T8-32-120-A-S-1.20	None	B232I120RHH-A	ESI is Program Start and series lamp operation - ULT's is Parallel lamp operation and Instant Start. Difference in width dimension	1.00 x 1.56 x 9.50 (0.44)	1.18 x 1.70 x 9.50 (1.70)
7811817	ES-2-T8-32-120-A-S-DIM-E	None	None	Linear T8 DIM-E reverse phase control	1.00 x 1.56 x 9.50 (0.44)	
7811531	ES-2-T8-32-277-A-S-1.20	None	B232I277RHH-A	ESI is Program Start and series lamp operation - ULT's is Parallel lamp operation and Instant Start. Difference in width dimension	1.00 x 1.56 x 9.50 (0.44)	1.18 x 1.70 x 9.50 (1.70)
7811329	ES-2-T8-32-347-A-S	ES1329A000C	None	347V, linear T8, Program start	1.00 x 1.56 x 9.50 (0.44)	
7811765	ES-2-T8-40-UNV-B-IS	None	B332IUNVHP-A	ULT's must be wired for de-lamp application. ESI's is UL type CC.	1.00 x 2.38 x 9.50 (0.69)	1.18 x 1.70 x 9.50 (1.70)
7814858	ES-2-T8-58-UNV-K	None	None	PRS, <10% THD, (2) F58T8	1.00 x 1.24 x 16.65 (0.73)	
7811721	ES-2-T8-59-UNV-B-IS	None	B259IUNVHP-A	ESI's is series lamp operation. Different wiring colors.	1.00 x 2.38 x 9.50 (0.69)	1.18 x 1.70 x 9.50 (1.70)
7815612GT	ES-2-TCT/D-18-230-GT-DIM-10	None	None	0-10V Dimming		
7815613GT	ES-2-TCT/D-26-230-GT-DIM-10	None	None	0-10V Dimming		
7816323-10	ES-3-T8-32/25/17-120-BMT-IS10	B332IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816023	ES-3-T8-32/25/17-120-NMT-IS	B332I120RH-A			1.20 x 1.78 x 9.50 (0.59)	1.18 x 1.70 x 9.50 (1.70)
7816023-10	ES-3-T8-32/25/17-120-NMT-IS-10	B332IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816373-10	ES-3-T8-32/25/17-277-BMT-IS10	B332IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816073	ES-3-T8-32/25/17-277-NMT-IS	B332I277RH-A			1.20 x 1.78 x 9.50 (0.59)	1.18 x 1.70 x 9.50 (1.70)
7816073-10	ES-3-T8-32/25/17-277-NMT-IS-10	B332IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816353-10	ES-3-T8-32/25/17-UNV-BM-IS10	B332IUNVHP-A			1.00 x 2.38 x 9.50 (0.80)	1.18 x 1.70 x 9.50 (1.70)
7816053-10	ES-3-T8-32/25/17-UNV-NMT-IS-10	B332IUNVHP-A			1.00 x 2.38 x 9.50 (0.80)	1.18 x 1.70 x 9.50 (1.70)
7816153-10	ES-3-T8-32/25/17-UNV-WM-IS10	None	B332IUNVHP-A	Different dimensions	1.00 x 1.50 x 13.40 (0.83)	1.18 x 1.70 x 9.50 (1.70)
7816323-10	ES-3-T8-32/25-120-BMT-IS10-L	None	B332I120L-A	ESI's THD <10 / ULT's THD <20	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816373-10	ES-3-T8-32/25-277-BMT-IS10-L	None	B332I277L-A	ESI's THD <10 / ULT's THD <20	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7814824	ES-3-T8-32/25-UNV-B-IS-SW	None	None	Selective switching, universal voltage, linear	1.00 x 2.38 x 9.50 (0.69)	
7816353-10	ES-3-T8-32/25-UNV-BM-IS10-L	None	B332I120L-A, B332I277L-A	ESI's is UNV voltage & THD <10 / ULT's is dedicated voltage & THD <20	1.00 x 2.38 x 9.50 (0.80)	1.18 x 1.70 x 9.50 (1.70)
7817053	ES-3-T8-32/25-UNV-NM-PS	None	B332PUNVHP-A	ESI special series lamp operation	1.00 x 1.78 x 9.50 (0.58)	1.18 x 1.70 x 9.50 (1.70)
7816153-10	ES-3-T8-32/25-UNV-WM-IS10-L	None	B332I120L-A, B332I277L-A	ESI's is UNV voltage & THD <10 / ULT's is dedicated voltage & THD <20	1.00 x 1.50 x 13.40 (0.83)	1.18 x 1.70 x 9.50 (1.70)
7811525	ES-3-T8-32-277-A-S	None	B332PUNVHP-A	ESI has different wiring connections to filaments	1.00 x 1.56 x 9.50 (0.44)	1.18 x 1.70 x 9.50 (1.70)
7811720	ES-4/3-T8-32/25/17-UNV-B-IS	ES1720B000C	B432IUNVHP-A	ESI's is series lamp operation & different wiring	1.00 x 2.38 x 9.50 (0.69)	1.18 x 1.70 x 9.50 (1.70)
7811760	ES-4/3-T8-32/25/17-UNV-W-IS	None	B432IUNV-D	ESI's is series lamp operation & different dimensions	1.00 x 1.56 x 14.13 (0.71)	1.00 x 1.18 x 16.28 (1.25)

Inventory Nbr	Model Description	ULT		Remarks / Comments	ESI Dimensions h x w x l (weight in lbs)	ULT Dimensions h x w x l (weight in lbs)
		Direct Replacement	Recommended Substitution			
7814514	ES-4-T5-14-UNV-W	None	None	4 lamp 14W T5	1.00 x 1.56 x 14.13 (0.71)	
7816324-10	ES-4-T8-32/25/17-120-BMT-IS10	B432IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816024	ES-4-T8-32/25/17-120-NMT-IS	B432I120RH-A			1.20 x 1.78 x 9.50 (0.59)	1.18 x 1.70 x 9.50 (1.70)
7816024-10	ES-4-T8-32/25/17-120-NMT-IS-10	B432IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816374-10	ES-4-T8-32/25/17-277-BMT-IS10	B432IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816074	ES-4-T8-32/25/17-277-NMT-IS	None	B432I277RH-A	Difference in width dimension	1.20 x 1.78 x 9.50 (0.59)	1.18 x 1.70 x 9.50 (1.70)
7816074-10	ES-4-T8-32/25/17-277-NMT-IS-10	B432IUNVHP-A		ULT's is UNV voltage	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7814803	ES-4-T8-32/25/17-UNV-B-IS-SW	None	None	Selective switching, universal voltage, linear	1.00 x 2.38 x 9.50 (0.69)	
7816354-10	ES-4-T8-32/25/17-UNV-BM-IS10	B432IUNVHP-A			1.00 x 2.38 x 9.50 (0.80)	1.00 x 1.18 x 16.28 (1.25)
7816054-10	ES-4-T8-32/25/17-UNV-NMT-IS-10	B432IUNVHP-A			1.00 x 2.38 x 9.50 (0.80)	1.00 x 1.18 x 16.28 (1.25)
7816154-10	ES-4-T8-32/25/17-UNV-WM-IS10	None	B432IUNV-D	Different dimensions	1.00 x 1.50 x 13.40 (0.83)	1.18 x 1.70 x 9.50 (1.70)
7816324-10	ES-4-T8-32/25-120-BMT-IS10-L	None	B432I120L-A	ESI's THD <10 / ULT's THD <20	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816374-10	ES-4-T8-32/25-277-BMT-IS10-L	None	B432I277L-A	ESI's THD <10 / ULT's THD <20	1.20 x 2.38 x 9.50 (0.81)	1.18 x 1.70 x 9.50 (1.70)
7816354-10	ES-4-T8-32/25-UNV-BM-IS10-L	None	B432I120L-A, B432I277L-A	ESI's is UNV voltage & THD <10 / ULT's is dedicated voltage & THD <20	1.00 x 2.38 x 9.50 (0.80)	1.18 x 1.70 x 9.50 (1.70)
7816154-10	ES-4-T8-32/25-UNV-WM-IS10-L	None	B432I120L-A, B432I277L-A	ESI's is UNV voltage & THD <10 / ULT's is dedicated voltage & THD <20	1.00 x 1.50 x 13.40 (0.83)	1.18 x 1.70 x 9.50 (1.70)
7815403	ES-CBL-EXT-M/F	None	None	Computer interface	N/A	
7815720	ES-CM-IR-UNV-JB-DIM-D	ES5720CTL000I	None	Ceiling IR sensor	N/A	
7815930	ES-DA-1000-120-DIM-E	None	None	Dimming amplifier control	N/A	
7815752	ES-DAY-SEN-UNV-DIM-10	None	None	Accessories and controls	N/A	
7815737	ES-ELT-600-UNV-JB-DIM-D	None	None	Accessories and controls	N/A	
78157346T	ES-ELT-UNV-6T-DIM-D	ES57346T	None	Accessories and controls	N/A	
7815734HT	ES-ELT-UNV-HT-DIM-D	ES5734HT	None	Accessories and controls	N/A	
7815735	ES-INC-600-UNV-JB-DIM-D	None	None	Accessories and controls	N/A	
78157326T	ES-INC-UNV-6T-DIM-D	ES57326T000I	None	Accessories and controls	N/A	
7815732HT	ES-INC-UNV-HT-DIM-D	ES5732HT000I	None	Accessories and controls	N/A	
7815702	ES-IR-2-SC-DIM-D	ES5702CTL000I	None	Dim-D remote controls	N/A	
7815703	ES-IR-3-PR-DIM-D	ES5703CTL000I	None	Dim-D remote controls	N/A	
7815704	ES-IR-4-ADP-DIM-D	ES5704CTL000I	None	Dim-D remote controls	N/A	
7815705	ES-IR-5-AREA-DIM-D	ES5705CTL000I	None	Dim-D remote controls	N/A	
7815736	ES-LVM-600-UNV-JB-DIM-D	None	None	Accessories and controls	N/A	
78157336T	ES-LVM-UNV-6T-DIM-D	ES57336T000I	None	Accessories and controls	N/A	
7815733HT	ES-LVM-UNV-HT-DIM-D	ES5733HT000I	None	Accessories and controls	N/A	
7815721	ES-OCC-ADP-UNV-JB-DIM-D	None	None	Accessories and controls	N/A	
78157256T	ES-ON/OFF-UNV-6T-DIM-D	None	None	Accessories and controls	N/A	
7815725HT	ES-ON/OFF-UNV-HT-DIM-D	None	None	Accessories and controls	N/A	
7815901	ES-WB-1-UNV-DIM-D	None	None	Dim-D wall controls	N/A	
7815940	ES-WB-1-UNV-SL-DIM-10	None	None	0-10V Dimming	N/A	
7815902	ES-WB-2-UNV-PR-DIM-D	None	None	Dim-D wall controls	N/A	
7815921	ES-WB-3R-120-DIM-E	None	None	Remote switch to be used with preset slide control	N/A	
7815903	ES-WB-3-UNV-SC-DIM-D	None	None	Dim-D wall controls	N/A	
7815920	ES-WB-425-120-DIM-E	None	None	Preset slide control wall-box	N/A	
7815904	ES-WB-4-UNV-SC-PR-DIM-D	None	None	Dim-D wall controls	N/A	
7815923	ES-WB-DA600-120-DIM-E	None	None	To be used with dimming amplifier control	N/A	
7815961	ES-WB-RLC	None	None	Dim-D wall controls	N/A	
7815402	ES-WB-RS232-UNV-DIM-D	None	None	Computer interface	N/A	